Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S 1	4	(provision\$4 near3 event) same (mobile near3 data near3 service)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 16:26
S2	. 23	(provision\$4 near3 event) and (mobile near3 data near3 service)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 14:02
S4	133	provision\$4 same (mobile near3 data near3 service)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2006/02/14 14:08
S5	0	S4 and (provision\$4 near3 reqest)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 14:09
S6	18	S4 and (provision\$4 near3 request) .	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 14:14
S 7	8	S6 and (data near3 structure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 14:22
S8		"200400823236".pn. and packet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 14:38
S9	14	packet and (header same (body or data or information) same identification same destination) and (mobile near3 communication) and (mobile near3 device) same (provision\$4 or subscription)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 15:22
S10	18	packet and (header same (body or data or information) same identification same destination) and (mobile near3 communication) and (mobile near3 device) same (provision\$4 or subscri\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 15:30
S11	13	packet and (header same (body or data or information) same identification same destination) and (mobile near3 communication) and (mobile near3 device) same (provision\$4 or subscri\$6) and (trigger)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 15:30
S12	13	packet and (header same (body or data or information) same identification same destination) and (mobile near3 communication) and (mobile near3 device) same (provision\$4 or subscri\$6) and (trigger\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 16:43

			T "	r	т:	772
S13	2	"20030065738".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 16:44
S14	1	"20030065738".pn. and provision\$4 and ((data near3 structure) or packet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 14:37
S15	1	"20030065738".pn. and (service adj provider)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 14:38
S16	0	"200400823236".pn. and (service adj provider)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 14:38
S17	2	"20040082323".pn. and (service adj provider)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 16:19
S18	2	"20040082323".pn. and (data adj structure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 16:21
S19	2	"20040082323".pn. and (data adj structure) and (header or body) .	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR	ON	2006/02/15 17:11
S20	0	"20020176378".pn. and (data adj structure) and (header or body)	IBM_TDB US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR	ON	2006/02/15 16:23
S21	0	"20020176378".pn. and (data adj structure) and (header)	IBM_TDB US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR	ON	2006/02/15 16:23
S22	0	"20020176378".pn. and (data adj structure)	IBM_TDB US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR	ON	2006/02/15 16:23
523	0	"20020176378".pn. and (data near3 structure)	IBM_TDB US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 16:23
524	2	"20020176378".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 16:23

		· · · · · · · · · · · · · · · · · · ·				
\$25	1	"20040087300".pn. and (data adj structure) and header and body and UADB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/21 09:49
S26	0	body same (provisional near3 entity near3 section)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 17:25
S27		body same (provisional near3 entity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 16:30
S28	3	body same (provisioning near3 entity near3 section)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 16:31
S29	11	body same contains same (entity or object) same request same applies	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 16:34
530	1	(provisioning same (mobile near3 device)) and (header and (body same section))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 16:35
531	1	(provisioning same (mobile near3 device)) and (header and (body same request same applies))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 16:36
S32	81	(header and (body same request same applies))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 16:36
533		S32 and (data adj structures)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 16:36
S34	54	S32 and (data adj structure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 16:36
S35	1	(data adj structure) same receiver same body same (receiver near3 identification)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 17:12
S36	228	(provisioning same (mobile adj device))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 17:37

S37	23	S36 and (cancel or (begin or start)) near3 service	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 17:34
S38	13	S37 and subscription	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 17:36
539	0	S36 and (((begin or cancel) near3 subscription) same email)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 17:38
540	1	S36 and (((begin or cancel) near3 subscription))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 17:44
541	7	(((data adj structure) or message) same (subscription near3 status)) and (((handheld or mobile) near3 (device or object or phone)) or pda or blackberry) and (provisioning)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 17:58
542	5	S41 and header	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 17:50
S43	1	S42 and (elementary near3 file)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 18:00
S44	2	S42 and (receiver same device same (ID or identification))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 17:55
S45	1	S42 and xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 17:58
S46	0	S43 and xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ОИ	2006/02/15 18:00
S47	41	provisioning and ((message or request) same identifies same device and (event near3 (applies or pertains)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 18:05
S48	28	S47 and (mobile near3 device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 18:06

S49		(privisioning near3 request)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 18:06
S50	757	(provisioning near3 request)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 18:10
S51	0	S50 and ((mobile near3 device) or ((mobile or cellular or cell) near3 phone) or pda o blackberry) and ((data near3 structure) or message) and (body and heading) and (receiv\$4 near3 device near3 (ID or identification or description))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 18:14
S52	15	((mobile near3 device) or ((mobile or cellular or cell) near3 phone) or pda or blackberry) and ((data near3 structure) or message) and (body and heading) and (receiv\$4 near3 device near3 (ID or identification or description))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 18:08
S53	37	S50 and ((subscription near3 status) or (subscription same (cancel or activate or deactivate or start or begin)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 18:12
S54	0	S53 and (request same ((receiving or destination) near3 device near3 identifier))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 18:12
S55	0	S53 and (((receiving or destination) near3 device near3 identifier))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 18:12
S56	0	S50 and ((data near3 structure) or message) and (body and heading) and (receiv\$4 near3 device near3 (ID or identification or description))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 18:15
S57	0	S50 and ((data near3 structure) or message) and (body and heading) and (receiv\$4 near3 device same (ID or identification or description))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 18:15
S58	6	S50 and ((data near3 structure) or message) and (body and heading) and (r(ID or identification or description))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 18:15
S59	6	S50 and ((data near3 structure) or message) and (body and heading) and ((ID or identification or description))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 18:15
S60	12	provision\$4 same trigger same (mobile adj device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 09:03

S61	0	(trigger near3 (provisioning near3 event)) same (mobile near3 device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 09:04
S62	106058	(trigger near3 (provisioning near3 event)) nad (mobile near3 device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 09:04
S63	4	(trigger near3 (provisioning near3 event)) and (mobile near3 device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 09:06
S64	6891	(trigger sam (provisioning near3 event)) and (mobile near3 device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 09:06
S65	4	(trigger same (provisioning near3 event)) and (mobile near3 device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 09:06
S66	0	S65 not S63	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 09:06
S67	22	(trigger near3 (provisioning)) and (mobile near3 device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON.	2006/02/16 09:12
S68	· 1	"20030027581".pn. and (equipment near3 identifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 10:22
S69	. 1	provisioning same ((activation or deactivation) near3 service) same ((resumption or modification) near3 service) same (((profile or parameters or status) near3 service) or (status near3 information))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2006/02/16 13:41
S70	1023	provisioning same (((activation or deactivation) near3 service) or ((resumption or modification) near3 service) or (((profile or parameters or status) near3 service) or (status near3 information)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 10:57
S71	10	provisioning same (((activation or deactivation) near3 service) and ((resumption or modification) near3 service) and (((profile or parameters or status) near3 service) or (status near3 information)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 10:26
S72	8	S71 and (external near3 system) and (trigger or instigate or initiate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 10:35

		LAST Scarcit History				
573	567650	S72 and message or request or (data adj structure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR -	ON	2006/02/16 10:36
S74	8	S72 and (message or request or (data adj structure))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 10:37
S75	3	S72 and (message or request or (data adj structure)) and header .	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 10:38
S76	1	S75 and (message near3 (contains or comprises or consists))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 10:38
S77	3	S75 and (message near3 (contains or comprises or consists or includes))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 10:41
S78	2	S77 and (subscriber near3 identification near3 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 10:41
S79	266	S70 and ((mobile near3 device) or pda or blackberry)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 10:58
S80	99	S79 and (request near3 (message or notification or (data near3 structure)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 10:59
S81	1	S80 and request near3 ((message or notification or (data near3 structure))) near3 ((contains or comprises or consists))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 11:00
S82	32	S80 and message near3 ((contains or comprises or consists))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 11:34
S83	37	(provisioning near3 request) near5 ((user or device) near3 (data or information))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 11:39
S84	0	(provisioning near3 request) near5 ((device) near3 (specifications or attributes or details))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 11:40

S85	2	(provisioning near3 request) same ((device) near3 (specifications or attributes or details))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 11:41
S86	0	provisioning and (request near3 (contains or includes or comprises or consists) near3 ((device) near3 (specifications or attributes or details)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 11:43
587	9	provisioning and (request near3 (contains or includes or comprises or consists) same ((device) near3 (specifications or attributes or details)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 11:44
S88	45	provisioning and (request near3 (contains or includes or comprises or consists) same ((device) near3 (specifications or attributes or details or type)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 12:25
589	1	provisioning and (request near3 (contains or includes or comprises or consists) near3 ((device) near3 (specifications or attributes or details or type)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 11:44
S90	1	"20040087300".pn. and (device near3 type)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 12:37
S91	0	"200400823232".pn. and (attributes near3 defined near3 external)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 12:39
S92	1	"20040082323".pn. and (attributes near3 defined near3 external)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 13:18
S93	. 1	"20040082323".pn. and (request same xml)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	OR	ON	2006/02/17 14:06
S94	0	"20040087300".pn. and (request same xml)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 13:19
S95	1	"20040087300".pn. and (xml)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 13:27
S96	15	(provisioning near3 request) same xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 13:22

			uc nonun	00	l ou	1 2006 (02/46 42 24
S97	9613653	S96 and mobile device	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 13:21
S98		S96 and (mobile near3device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 13:21
S99	3	S96 and (mobile near3 device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 13:21
S10 0	1	"20040087300".pn. and (device near3 (properties or attributes or characteristics or description or type))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 13:34
S10 1	1	"20040087300".pn. and (request same (device near3 (properties or attributes or characteristics or description or type)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 13:44
S10 2	15	((notification near3 request) same (device near3 (properties or attributes or characteristics or description or type))) and provisioning	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 13:39
S10 3	6	"2004008737".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2006/02/16 13:38
S10 4	0	"2004008737".pn. and xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 13:38
S10 5	16	((notification near3 request) same ((device or component or entity or pda or mobile) near3 (properties or attributes or characteristics or description or type))) and provisioning	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 13:40
S10 6	16	S105 not S103	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 13:40
S10 7	1	S106 not S102	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 13:40
S10 8	1	((activation or deactivation) near3 service) same ((resumption or modification) near3 service) same (((profile or parameters or status) near3 service) or (status near3 information)) and ((request or message) with xml)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 13:42

S10 9	1	"20040087300".pn. and (device near3 identification near3 information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 13:45
S11 0	1	"20040087300".pn. and (device near3 type)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 16:46
S11 1	1	"20040087300".pn. and GSM	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 15:06
S11 2	815	tv and provisioning	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 15:11
S11 3	37	itv and provisioning	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 15:16
S11 4	2	"20020099632".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 15:17
S11 5	2	"20040087300".pn. and subscrib\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 12:48
S11 6	1	"20040082323".pn. and (name near3 attribute)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 10:59
S11 7	1	"20040087300".pn. and (device near3 identification near3 number)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 12:49
S11 8	1	"20040087300".pn. and (device near3 identification near3 number) and (IMSI or MIN) and (MSISDN/MDN)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 13:05
S11 9	1	"20040087300".pn. and (device near3 identification near3 number) and (IMSI or MIN) and (MSISDN/MDN) and RIM	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 14:02
S12 0	0	"20040087300".pn. and (device near3 identification near3 number) and (IMSI or MIN) and (MSISDN/MDN) and RIM and (model near3 number)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 14:04

			·			
S12 1	0	"20040087300".pn. and (device near3 identification near3 number) and (IMSI or MIN) and (MSISDN/MDN) and RIM and (model near3 identification)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 14:04
S12 2	1	"20040087300".pn. and (device near3 identification near3 number) and (IMSI or MIN) and (MSISDN/MDN) and RIM and (type near3 identification)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 14:05
S12 3	1	"20040087300".pn. and (device near3 identification near3 number) and (IMSI or MIN) and (MSISDN/MDN) and RIM and (type near3 identification) and (device near3 number)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 15:19
S12 4	1	"20040082323".pn. and (model near3 number)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 14:17
S12 5	1	"20030065738".pn. and (service near3 provider)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 15:18
S12 6	1	"20030065738".pn. and (billing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 15:18
S12 7	0	"20040087300".pn. and bill\$ near3 identifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2006/02/17 15:19
S12 8	1	"20040087300".pn. and bill\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 15:24
512 9	0	"20040087300".pn. and ICCID	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 15:24
S13 0	0	"20040087300".pn. and card near3 identifier .	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 15:35
513 1	0	"20040087300".pn. and circuit near3 identifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 15:35
S13 2	0	"20040087300".pn. and integrated near3 circuit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 15:36

S13 3	0	"20040087300".pn. and SIM near3 identifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 15:36
S13 4	0	"20040087300".pn. and SIM near3 card	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 15:36
S13 5	1	"20040087300".pn. and ((common near3 message) same xml) .	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/21 10:08
S13 6	1	"20030065738".pn. and (sender\$4 near3 number) .	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/21 09:55
S13 7	1	"20030065738".pn. and (sender\$4 near3 (number or name or identification))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/21 10:32
S13 8	1	"20030065738".pn. and (reply or response)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/21 10:08
S13 9	1	"20040087300".pn. and (response or reply)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/21 10:35
S14 0	0	"20030065738".pn. and (most near3 severe near3 error)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/21 10:24
S14 1	0	"20030065738".pn. and (severe)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/21 10:25
S14 2	1	"20040082323".pn. and (most near3 severe near3 error)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/21 10:25
S14 3	56683	"20030065738".pn. and error or reply	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/21 10:32
S14 4	0	"20030065738".pn. and (error or reply)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/21 10:32

S14 5	1	"20040087300".pn. and (response or reply) and (password or authentication)	US-PGPUB; USPAT; USOCR;	OR	ON	2006/02/21 11:32
514			EPO; JPO; DERWENT; IBM_TDB	O.D.	ON.	2006/02/21 11.40
S14 6	1	"20040087300".pn. and ((distribution near3 list) or alias)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/21 11:40
514 7	14	((intergrated near3 circuit near3 card near3 identifier) or (ICCID)) and (mobile near3 device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/02/21 13:19
S14 8	1	S147 and (provisioning near3 request)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/21 11:41
S14 9	2	"20050044097".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/21 13:19
S15 0	1	"20030065738".pn. and (medium)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/06 18:11
S15 1	2	"20030065738".pn. and program	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/06 18:29
S15 2		"6643691".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2006/08/06 18:14
S15 3	1	"20030065738".pn. and (message same stored)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/06 18:56
S15 4	0	"20040082323".pn. and (provisioning same data same structure same head same body)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/06 18:57
S15 5	0	"20040082323".pn. and (provision\$5 same data same structure same head same body)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/06 18:57
S15 6	0	"20040082323".pn. and (provision\$5 same data same structure same head)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/06 18:57